

CONTENTS OF VOLUME 39 · 2001

- Aguilera J, Prieto JA: The *Saccharomyces cerevisiae* aldose reductase is implied in the metabolism of methylglyoxal in response to stress conditions 273
- Aiba K → Kawai M
- Alexander H → Barth C
- Alexander S → Barth C
- Ando A, Harada A, Miura K, Tamai Y: A gene encoding a hydrophobin, *fhv1*, is specifically expressed after the induction of fruiting in the edible mushroom *Flammulina velutipes* 190
- Assumpção ALK → Maris AF
- Bakke I → Moum T
- Bañuelos O, Casqueiro J, Gutiérrez S, Martín JF: Intrachromosomal recombination after targeted monocopy integration in *Penicillium chrysogenum*: stabilization of the direct repeats to prevent loss of the inserted gene 231
- Barth C, Greferath U, Kotsifas M, Tanaka Y, Alexander S, Alexander H, Fisher PR: Transcript mapping and processing of mitochondrial RNA in *Dictyostelium discoideum* 355
- Baurain D → Dinant M
- Bégueret J → Paoletti M
- Blom J → Brons JF
- Boguta M → Chacinska A
- Bonato D → Maris AF
- Bonen L → Subramanian S
- Brakhage AA → Tanaka A
- Braus GH → Strittmatter AW
- Brendel M → Maris AF
- Brons JF, Dryla AA, Plüger EBE, Vinkenvleugel TMF, Hornig NCD, Grivell LA, Blom J: Carbon source-dependent transcriptional regulation of the *QCR8* gene in *Cluyveromyces lactis* 311
- Caetano-Anollés G, Trigiano RN, Windham MT: Patterns of evolution in *Discula* fungi and the origin of dogwood anthracnose in North America, studied using arbitrarily amplified and ribosomal DNA 346
- Cafasso D, Pellegrino G, Musacchio A, Widmer A, Cozzolino S: Characterization of a minisatellite repeat locus in the chloroplast genome of *Orchis palustris* (Orchidaceae) 394
- Cameron V → Machingo Q
- Carobbio S, Realini C, Norbury CJ, Toda T, Cavalli F, Spataro V: Sequence of *Crm1/exportin 1* mutant alleles reveals critical sites associated with multidrug resistance 2
- Casqueiro J → Bañuelos O
- Castroviejo M → Paoletti M
- Cavalli F → Carobbio S
- Chacinska A, Szczesniak B, Kochneva-Pervukhova NV, Kushnirov VV, Ter-Avanesyan MD, Boguta M: Ssb1 chaperone is a [*PSI*⁺] prion-curing factor 62
- Chae K-S → Lee DW
- Challen MP → Kües U
- Chen Y → Shen G-P
- Chen Y, Wang Y, Sun Y, Zhang L, Li W: Highly efficient expression of rabbit neutrophil peptide-1 gene in *Chlorella ellipsoidea* cells 365
- Clavé C → Paoletti M
- Cooper TG → van der Merwe GK
- Coosemans N → Dinant M
- Cozzolino S → Cafasso D
- Daniell H, Muthukumar B, Lee SB: Marker free transgenic plants: engineering the chloroplast genome without the use of antibiotic selection 109
- Davis MA → Tanaka A
- Davrazou F → Ververidis P
- De Waard MA → Zwieters L-H
- Diallinas G → Ververidis P
- Dinant M, Baurain D, Coosemans N, Joris B, Matagne RF: Characterization of two genes encoding the mitochondrial alternative oxidase in *Chlamydomonas reinhardtii* 101
- Doetsch NA, Favreau MR, Kuscuglu N, Thompson MD, Hallick RB: Chloroplast transformation in *Euglena gracilis*: splicing of a group III twintron transcribed from a transgenic *psbK* operon 49
- Doi H → Kawai M
- Donalies UEB, Stahl U: Phase-specific gene expression in *Saccharomyces cerevisiae*, using maltose as carbon source under oxygen-limiting conditions 150
- Doonan JH → Kosmidou E
- Drager RG → Esposito D
- Dryla AA → Brons JF
- Dubois E, Thuriaux P: Jean-Marie Wiame, 1914–2000 125
- Duplessis S, Sorin C, Voiblet C, Palin B, Martin F, Tagu D: Cloning and expression analysis of a new hydrophobin cDNA from the ectomycorrhizal basidiomycete *Pisolithus* 335
- Esposito D, Higgs DC, Drager RG, Stern DB, Girard-Bascou J: A nucleus-encoded suppressor defines a new factor which can promote *petD* mRNA stability in the chloroplast of *Chlamydomonas reinhardtii* 40
- Fallahi M → Subramanian S
- Favreau MR → Doetsch NA
- Fekete C, Posta K, Hornok L: Primary structure and transcription patterns of *RPL36*, a ribosomal protein-encoding gene of the mycoparasitic fungus, *Trichoderma hamatum* 183
- Fisher PR → Barth C
- Fox AN, Kennell JC: Association between variant plasmid formation and senescence in retroplasmid-containing strains of *Neurospora* spp. 92
- Fuchs M, Maier RM, Zeltz P: RNA editing in higher plant plastids: oligoribonucleotide SSCP analysis allows the proof of base conversion directly at the RNA level 384
- Georgakopoulos D → Ververidis P
- Girard-Bascou J → Esposito D
- Gomi K → Tani S
- Goodwin TJD, Ormandy JE, Poulter RTM: L1-like non-LTR retrotransposons in the yeast *Candida albicans* 83
- Greferath U → Barth C
- Grivell L, Hohmann S: Editorial 1
- Grivell LA → Brons JF
- Groenewald M, Viljoen-Bloom M: Factors involved in the regulation of the *Schizosaccharomyces pombe* malic enzyme gene 222
- Gutiérrez S → Bañuelos O
- Hallick RB → Doetsch NA
- Han DM → Lee DW
- Harada A → Ando A
- Hayashi T → Tani S
- Henriques JAP → Maris AF
- Hiesinger M, Roth S, Meissner E, Schüller H-J: Contribution of Cat8 and Sip4 to the transcriptional activation of yeast gluconeogenic genes by carbon source-responsive elements 68
- Higgs DC → Esposito D
- Hohmann S → Grivell L
- Hornig NCD → Brons JF
- Hornok L → Fekete C
- Hynes MJ → Tanaka A
- Irniger S → Strittmatter AW
- Ishihama A → Mitobe J
- Ishihama A → Mitobe J
- Jahng K-Y → Lee DW
- James TY → Kües U
- Johnson DI → Merla A
- Joris B → Dinant M
- Kües U, James TY, Vilgalys R, Challen MP: The chromosomal region containing *pab-1*, *mip*, and the *A* mating type locus of the secondarily homothallic homobasidiomycete *Coprinus bilanatus* 16
- Kamei K → Tanaka A
- Kanellis AK → Ververidis P
- Kato M → Tanaka A
- Kato M → Tani S
- Katsuyama Y → Tani S
- Kawai M, Nakashima A, Ueno M, Ushimaru T, Aiba K, Doi H, Uritani M: Fission yeast Tor1 functions in response to various stresses including nitrogen starvation, high osmolarity, and high temperature 166

- Kennell JC → Fox AN
 Kerkmann K, Lehming N: Genome-wide expression analysis of a *Saccharomyces cerevisiae* strain deleted for the Tup1p-interacting protein Cdc73p 284
 Kim S → Lee DW
 Kim S-J → Lee DW
 Kobayashi T → Tanaka A
 Kobayashi T → Tani S
 Kochneva-Pervukhova NV → Chacinska A
 Kosmidou E, Lunness P, Doonan JH: A type 2A protein phosphatase gene from *Aspergillus nidulans* is involved in hyphal morphogenesis 25
 Kotsifas M → Barth C
 Kuscuoglu N → Doetsch NA
 Kushnirov VV → Chacinska A
- Lavrijssen B → Mikosch TSP
 Lee DW, Kim S, Kim S-J, Han DM, Jahng K-Y, Chae K-S: The *lsdA* gene is necessary for sexual development inhibition by a salt in *Aspergillus nidulans* 237
 Lee SB → Daniell H
 Lehming N → Kerkmann K
 Lesage P → Morillon A
 Li W → Chen Y
 Lohman PHM → van den Bosch M
 Lopes JM → Miller LL
 Lunness P → Kosmidou E
- Machingo Q, Mazourek M, Cameron V: Second-site, intragenic alterations in the gene encoding subunit II of cytochrome *c* oxidase from yeast can suppress two different missense mutations 297
 Maier RM → Fuchs M
 Maris AF, Assumpção ALK, Bonatto D, Brendel M, Henriques JAP: Diauxic shift-induced stress resistance against hydroperoxides in *Saccharomyces cerevisiae* is not an adaptive stress response and does not depend on functional mitochondria 137
 Martin JF → Bañuelos O
 Martin F → Duplessis S
 Matagne RF → Dinant M
 Mazourek M → Machingo Q
 Meissner E → Hiesinger M
 Merla A, Johnson DI: The *Schizosaccharomyces pombe* Cdc42p GTPase signals through Pak2p and the Mkh1p-Pek1p-Spm1p MAP kinase pathway 205
 Meyer U → Monnerjahn C
 Mikosch TSP, Lavrijssen B, Sonnenberg ASM, van Griensven LJLD: Transformation of the cultivated mushroom *Agaricus bisporus* (Lange) using T-DNA from *Agrobacterium tumefaciens* 35
 Miller LL, Lopes JM: Over-expression of the *INO2* regulatory gene alters regulation of an *INO1-lacZ* reporter gene but does not affect regulation of *INO1* expression 77
 Mitobe J, Mitsuzawa H, Ishihama A: Functional analysis of RNA polymerase II Rpb3 mutants of the fission yeast *Schizosaccharomyces pombe* 210
 Mitobe J, Mitsuzawa H, Ishihama A: Functional analysis of RNA polymerase II Rpb3 mutants of the fission yeast *Schizosaccharomyces pombe* 399
 Mitsuzawa H → Mitobe J
 Miura K → Ando A
 Monnerjahn C, Techel D, Meyer U, Rensing L: The *grp78* promoter of *Neurospora crassa*: constitutive, stress and differentiation-dependent protein-binding patterns 319
 Morillon A, Springer M, Lesage P: Strains isogenic to S288C used in the Yeast Genome Sequencing Programme carry a functional *KSS1* gene 291
 Moum T, Bakke I: Mitochondrial control region structure and single site heteroplasmy in the razorbill (*Alca torda*; Aves) 198
 Musacchio A → Cafasso D
 Muthukumar B → Daniell H
- Nakashima A → Kawai M
 Norbury CJ → Carobbio S
 Novotny CP → Shen G-P
- Ormandy JE → Goodwin TJD
- Palin B → Duplessis S
 Panopoulos N → Ververidis P
 Paoletti M, Castroviejo M, Bégueret J, Clavé C: Identification and characterization of a gene encoding a subtilisin-like serine protease induced during the vegetative incompatibility reaction in *Podospora anserina* 244
 Papagiannopoulos P → Tanaka A
 Passamonti M, Scali V: Gender-associated mitochondrial DNA heteroplasmy in the venerid clam *Tapes philippinarum* (Mollusca Bivalvia) 117
 Pastink A → van den Bosch M
 Pellegrino G → Cafasso D
 Peng Z → Shen G-P
 Perlin MH → Shi T-L
 Plüger EBE → Brons JF
 Posta K → Fekete C
 Poulter RTM → Goodwin TJD
 Prieto A → Aguilera J
 Pring DR, Van Tang H: Mitochondrial *atp6* transcript editing during microgametogenesis in male-sterile sorghum 371
- Realini C → Carobbio S
 Rensing L → Monnerjahn C
 Roth S → Hiesinger M
- Scali V → Passamonti M
 Schüller H-J → Hiesinger M
 Schulte J → Voß T
 Shen G-P, Chen Y, Song D, Peng Z, Novotny CP, Ullrich RC: The *Ax6* locus: its relation to mating-type regulation of sexual development in *Schizophyllum commune* 340
- Shi T-L, Perlin MH: The β -tubulin-encoding gene from *Microbotryum violaceum*: unusual in a variety of ways 253
 Song D → Shen G-P
 Sonnenberg ASM → Mikosch TSP
 Sorin C → Duplessis S
 Spataro V → Carobbio S
 Springer M → Morillon A
 Stahl U → Donalies UEB
 Steidl S → Tanaka A
 Stern DB → Esposito D
 Strittmatter AW, Irniger S, Braus GH: Induction of *tlbA* mRNA synthesis for a putative bZIP protein of *Aspergillus nidulans* by amino acid starvation 327
 Subramanian S, Fallahi M, Bonen L: Truncated and dispersed *rpl2* and *rps19* pseudogenes are co-transcribed with neighbouring downstream genes in wheat mitochondria 264
 Sun Y → Chen Y
 Suzuki H → Tani S
 Szczesniak B → Chacinska A
- Tagu D → Duplessis S
 Tamai Y → Ando A
 Tanaka A, Kamei K, Tanoue S, Papagiannopoulos P, Steidl S, Brakhage AA, Davis MA, Hynes MJ, Kato M, Kobayashi T, Tsukagoshi N: AoHapB, AoHapC and AoHapE, subunits of the *Aspergillus oryzae* CCAAT-binding complex, are functionally interchangeable with the corresponding subunits in *Aspergillus nidulans* 175
 Tanaka Y → Barth C
 Tani S, Katsuyama Y, Hayashi T, Suzuki H, Kato M, Gomi K, Kobayashi T, Tsukagoshi N: Characterization of the *amyR* gene encoding a transcriptional activator for the amylase genes in *Aspergillus nidulans* 10
 Tanoue S → Tanaka A
 Techel D → Monnerjahn C
 Ter-Avanesyan MD → Chacinska A
 Thompson MD → Doetsch NA
 Thuriaux P → Dubois E
 Toda T → Carobbio S
 Trigiano RN → Caetano-Anollés G
 Tsukagoshi N → Tanaka A
 Tsukagoshi N → Tani S
 Tudzynski B → Voß T
- Ueno M → Kawai M
 Ullrich RC → Shen G-P
 Uritani M → Kawai M
 Ushimaru T → Kawai M
- van den Bosch M, Zonneveld JBM, Lohman PHM, Pastink A: Isolation and characterization of the *RAD59* homologue of *Kluyveromyces lactis* 305
 van der Merwe GK, van Vuuren HJJ, Cooper TG: *Cis*-acting sites contributing to expression of divergently transcribed *DAL1* and *DAL4* genes in *S. cerevisiae*: a word of caution when correlating

- cis*-acting sequences with genome-wide expression analyses 156
- van Griensven LJLD → Mikosch TSP
- Van Tang H → Pring DR
- van Vuuren HJJ → van der Merwe GK
- Ververidis P, Davrazou F, Dailianas G, Georgakopoulos D, Kanellis AK, Panopoulos N: A novel putative reductase (Cpd1p) and the multidrug exporter Snq2p are involved in resistance to cercosporin and other singlet oxygen-generating photosensitizers in *Saccharomyces cerevisiae* 127
- Vilgalys R → Kües U
- Viljoen-Bloom M → Groenewald M
- Vinkenvleugel TMF → Brons JF
- Voß T, Schulte J, Tudzynski B: A new MFS-transporter gene next to the gibberellin biosynthesis gene cluster of *Gibberella fujikuroi* is not involved in gibberellin secretion 377
- Voiblet C → Duplessis S
- Wang Y → Chen Y
- Widmer A → Cafasso D
- Windham MT → Caetano-Anollés G
- Zeltz P → Fuchs M
- Zhang L → Chen Y
- Zonneveld JBM → van den Bosch M
- Zwiers L-H, De Waard MA: Efficient *Agrobacterium tumefaciens*-mediated gene disruption in the phytopathogen *Mycosphaerella graminicola* 388



